



TOP-QUALITÄT
geprüft + zugelassen



ZULASSUNG

**ANP-EINSTABANKER SAS Y1050H Fels- und
Bodenanker System SAS**

ETA-12/0601

A N P - Systems GmbH Deutschland

Anker | Nagel | Pfahl | Spannverfahren | Schalungsanker | Bewehrungstechnik | Gerätetechnik

Internationale Referenzprojekte und weitere Informationen: www.anp-systems.de



Austrian Institute of Construction Engineering
 Schenkenstrasse 4 | T+43 1 533 65 50
 1010 Vienna | Austria | F+43 1 533 64 23
 www.oib.or.at | mail@oib.or.at



European Technical Assessment

ETA-12/0601
 of 21.12.2018

General part

Technical Assessment Body issuing the European Technical Assessment

Österreichisches Institut für Bautechnik (OIB)
 Austrian Institute of Construction Engineering

Trade name of the construction product

Rock and soil anchor system SAS with
 prestressing steel thread bars Y1050H, diameter
 17.5 to 47 mm

Product family to which the construction product belongs

Kit for rock and soil anchors – Kit with thread bars
 of prestressing steel

Manufacturer

Stahlwerk Annahütte
 Max Aicher GmbH & Co. KG
 83404 Ainring-Hammerau
 Germany

Manufacturing plant

Stahlwerk Annahütte
 Max Aicher GmbH & Co. KG
 83404 Ainring-Hammerau
 Germany

This European Technical Assessment contains

49 pages including Annexes 1 to 28, which form
 an integral part of this assessment.

This European Technical Assessment is issued in accordance with Regulation (EU) № 305/2011, on the basis of

EAD 160045-00-0102, European Assessment
 Document for Kit for rock and soil anchors – Kit
 with thread bars of prestressing steel.

This European Technical Assessment replaces

European technical approval ETA-12/0601 with
 validity from 12.06.2013 to 11.06.2018.



Anker | Nagel | Pfahl
A N P - SYSTEMS
Deutschland

ZUVERLÄSSIG . KOMPETENT . INTERNATIONAL

ANP-Systems GmbH Deutschland
Industriestraße 7
86405 Meitingen
Tel. +49 8271 811940 0

Mail info@anp-systems.de
Web www.anp-systems.de
Amtsgericht Augsburg, HRB 36826

Raiffeisenbank Wels eGen
IBAN: AT96 3468 0000 0061 4388
BIC: RZOOAT2L680